



Portable LifePO4 Lithium Battery 12V 50AH For Electric Wheelchair / Power

Basic Information

Place of Origin: Changsha, China

• Brand Name: HYZZ

• Certification: ISO9001, CE, CB, UN38.3

Packaging Details: foam, wooden box / foam, carton, tray

Delivery Time: 22 daysPayment Terms: L/C, T/T

• Supply Ability: 10,000 PCS per month



Product Specification

• Name: LifePO4 Lithium Battery

• Model: 12V 50AH

L X W X H: 350mm*152mm*83mmApplication: Electric Wheelchair, Power

Peak Current: 30±5A 2SRated Discharge Current: 10A

 Highlight: lithium iron phosphate battery, lifepo4 rechargeable battery

Product Description

Portable LifePO4 Lithium Battery 12V 50AH For Electric Wheelchair / Power

Model: 12V 50AH

Dimension: 350mm*152mm*83mm

Parameter:

working environment:-20 -60 ;Lithium iron phosphate battery 4S Charge cutoff voltage:14.4V;Discharge cutoff voltage:9.6V;

 $Output: 12V5A; Male: DC5.5-2.1; connector: 5V1A\ USB; charging\ port: Weipu\ WS24-2\ core\ socket; 1\ pin\ is\ positive, 2\ pin\ is\ negative, sheet\ metallabel{eq:port:port}$

shell

Features

- 1. Different capacity battery cells for options.
- 2. Green product, long standby time, one year wrranty, excellent safety performance.
- 3. Short circuit testing passed, overcharge testing passed.
- 4. Best sale service and good price.
- 5. High capacity, high level platform, long working hours, long cycle life,

Application: widely used in li-ion battery, 18650 li-ion battery, polymer lithium battery, lifepo4 battery.

- 1) Communication device: communication base station, handheld road test instruments, portable communication tester, portable radio station.
- 2) Medical instruments: monitor, electrocardiogram machine, portable type-B ultrasonic, defibrillator, breathing machine.
- 3) Industrial instrument:water quality testing meter, geotechnical tester, laser orientation instrument car arrester.
- 4) Electric tools: handheld electric drill, moped, golf carts.

	1		Number	HY00074		
			Version			
	HYLF/12/5	in-nn1	146121011			
		specification	Date	2019-5-7		
1 Basic characteristic			Product	picture		
Product name Industrial lithium battery						
product code	HYLF/12/50-001		Batteries:3.2V6.5AHLithium iron phosphate			
LxWxH	350mm*152mm*83mm		-cylinder	cylinder 3.2V6.5AH		
Rated voltage	12VSeries structure					
Rated Capacity	50Ah		Shell material: epoxy resin board packaging, optional sheet metal, plastic shell, aluminum			
Serialization	8P4S					
Internal resistance	≤100mΩ		alloy, etc.			
Discharge cutoff			Shell col	or		
voltage	9.6V		0.10.11 00.1	.		
Charging protection voltage	14.4V		☑ Sub black			
Max.charging voltage	14.6V		 □ Bright	gray		
Max. charging current	10A		— — — — — — — — — — — — — — — — — — —			
Maximum discharge	IUA		□ +Fruit green + bright gray two-color			
current	20A					
Peak current	30±5A 2S		–□ White			
r can carrent	0010/120		┥	nermoplastic film		
Rated discharge current	10A		Charging and discharging interface Wall terminal Anderson Navigation plug Positive and negative lines Pole Hardware contact			
Charging method	CC/CV		_			
weight	6.3Kg	0.45	_			
0	Charging	0 45	_			
Operating temperature	Discharge	-20 55		10)/FA DOS 5 0 4 5)/4		
60-80%SOC, 2 Storage temperature 60-80% SOC storage, need to recharge every	-10 35		panel co 5V1A US WS24-2	12V5A,DC5.5-2.1,5V1A USB ,WS24-2 1,2.Front panel content: 12V5A output, DC5.5-2.1 male, 5V1A USB interface, charging port is Weipu WS24-2 core socket; 1 pin is positive, 2 pin is negative.		
2 months						
	1500 Times					

Delivery period	25 Working day	

Hunan Pinsheng Energy Technology Co., LTD.

15616151876

info@pinshengenergy.com



rechargeable-liionbattery.com

NO. 259, Lixiang East Road, Xiangfeng Technology Industry Park, Changsha City, Hunan, China.