



Light Weight Power Storage Batteries For Homes Recharge Li Ion Battery


Basic Information

- Place of Origin:
- Changsha, China

HYZZ

HY00037

- Brand Name:
- ISO9001, CE, CB, UN38.3 • Certification:
- Model Number:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



- L/C, T/T
- 10,000 PCS per month



Product Specification

- Name:
- Model:
- LXWXH:
- Peak Current:
- Internal Resistance:
 - 163.5KG
- Applications: • Highlight:
- Energy Storage Lithium Battery 48V/20KWH/3000W
- 1005mm X 495mm X500mm
- -20°C ~ 60°C
- 200±3A 2S
- lithium ion storage battery, high capacity storage batteries

for more products please visit us on rechargeable-liionbattery.com

Light Weight Power Storage Batteries For Homes Recharge Li Ion Battery

Model: 48V/20KWH/3000W

Specifications L x W x H: 1005mm x 495mm x500mm

Features: Inverter integrated 48vdc-220vac-6kw, dual CPU intelligent control technology, mains mode / energy saving mode / battery mode can be set, charging current 40A (default) - C0-C6 can be set, battery type U0-U7 can be set, Pure sine wave AC output, LCD display device automatic protection and alarm prompt, continuous working current 125A, instantaneous maximum current 200A, weight 163.5KG

Applications: energy storage power supply, photovoltaic energy storage power supply, backup power supply, household off-grid energy storage power supply, energy storage

Advantage

- 1. Long life, large capacity and good shock resistance
- 2. Low self-discharge and good discharge performance at low temperature
- 3. Strong charging acceptance and quick-charging capability
- 4. Strong over-discharge resistance and charge retention
- 5. Maintenance-free and no acid or water for maintenance in usage
- 6. Most safe no explosion no fire
- 7. High temperature performance
- 8. Environmental friendly
- 9. Lighter weight smaller size

10. Excellent large current discharge performance, and have obvious advantages in startup and climbing

		Number	HY00037
		Version	A0
	HYLF/48V/20KWH-001	Date	2019-5-8
	Battery pack specification	Date	
Basic characteristi			
Product name	Lithium battery pack		
product code	HYLF/48V/20KWH-001		
_ x W x H	1005mm x 495mm x500mm		
Rated voltage	48V		
Rated Capacity	400AH		
Serialization	4P16SAluminum shell	-	
		Product	

6000KWBuilt-in 6000KW inverter integrated machine

Our Product Introduction

Internal resistance	≤120mΩ	
Discharge cutoff		Shell color
voltage	34.5V	☑ Matt black
Charging protection voltage	54V	 Bright gray Fruit green + bright gray (two colors)
	54.75V	Stainless steel
	30A	-
Max. sustained discharge current	125A	Charging and discharging interface
Peak current	200±3A 2S	- ☑ Wall terminal
		 Anderson Air plug Positive and negative lines Terminal post LEDThe power box has a universal wheel with a
Rated discharge current	75A	positioning pin, a handle, and an LED function display. 48vdc-220vac-6kw,CPUInverter integrated machine 48vdc-220vac-6kw, dual CPU intelligent control technology
		30A-C0-C6,U0-U7,,Mains mode / energy saving mode / battery mode can be set, charging current 30A default - C0-C6 can be set, battery type U0- U7 can be set, pure sine wave AC output Batteries:3.2v/86Ah
Charging method		
weight	163.5Kg	Cell discharge performance
Operating temperature	Charging 0 45 Discharge -20 45	-
60-80%SOC, 2 Storage temperature 60-80% SOC storage, need to recharge every 2 months	-10 35	

C1 Cycle life	1500 Times	3.500 3.000 - 25℃
price	RMB:¥ 00.00	A021831502792-SOC- OCV 3.00 0% 20% 40%50电振荡 80% 100%
Delivery period	25 Working day	

Hunan Pinsheng Energy Technology Co., LTD.

15616151876 info@pinshengenergy.com
 rechargeable-liionbattery.com
 NO. 259, Lixiang East Road, Xiangfeng Technology Industry Park, Changsha City, Hunan, China.