



## UN38.8 36V 10Ah 48V 20Ah Ebike / Electric Scooter Battery Pack

Our Product Introduction

for more products please visit us on [rechargeable-liionbattery.com](http://rechargeable-liionbattery.com)

### Basic Information

- Place of Origin: China
- Brand Name: Pinsheng Energy
- Certification: CE, MSDS, UN38.8 , ISO9001
- Model Number: PE3610
- Minimum Order Quantity: 10
- Price: USD98-145/pc
- Packaging Details: carton box, UN box, wooden box
- Delivery Time: 10-20days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 10000pcs/month




### Product Specification

- Product Name: 36V 10Ah Ebike Battery Pack
- Material: Aluminum Alloy + ABS Plastic
- Size: 385\*75\*110 Mm
- Weight: 3.5 Kgs
- Voltage: 36 Volts
- Capacity: 10 Ah (AMP)
- Charging Cut Off Voltage: 30 Volts
- Discharging: 42 Volts
- Working Temperature: -20 - 60
- Application: Electric Bike / Bicycle /EV / E - Scooter
- Highlight: 48V 20Ah Electric Scooter Battery Pack, UN38.8 Electric Scooter Battery Pack, 36V 10Ah Ebike Battery Pack



### More Images



## Product Description

### A Grade Quality 36V 10Ah Ebike Battery 48V 20Ah Electric Scooter Lithium ion Battery Pack

**Model: PE3610-2**

#### Parameters:

1. Product Name: 36V 10Ah Electric Bike Battery Pack
2. Dimension: 385(L) \* 75(W) \* 110(T) mm
3. Net Weight: 3.5Kgs
4. Material: Aluminum Alloy + ABS Plastic
5. Color: Silver / Black
6. Working Voltage: 36V
7. Capacity: 10 Ah
8. Charging Cut Off Voltage: 30V
9. Discharging Limit Voltage: 42V
10. Battery Cell: NCM
11. Working Temperature: -20°C ~ 60°C
12. Charging Temperature: 0°C ~ 55°C


#### Application

Widely use for Ebike, E-scooter, EV power supply and so on.

#### Advantage

1. Green
2. Safe
3. High Performance
4. Longer cycle life

Item	Detail
Product Name	36V Ebike Battery (Lithium Battery Pack)
Series - Parallel Mode	10S4P
Cycle Life	3500 Times 100% Depth of Discharging
Dimension	385.5 (L) * 75.5 (W) * 110.5 (T) mm
Weight	3.5Kgs
Battery Box Material	Aluminium
Color	Silver and Black
Working Voltage	36 Volts
Capacity	10 Amp
Charging Cut Off Voltage	30 Volts
Discharging Limit Voltage	42 Volts
Battery Cell	18650
Working Temperature	-20 ~ 60°C
Charging Temperature	0 ~ 55
Working Humidity	80 %
Internal Resistance	1mΩ
Self Discharging Rate	3% every 30 days
OEM / ODM	All can do
Charging / Discharging Interface	Customized







## Plug and Interface

### AC INPUT PLUGS



### DC OUTPUT PLUGS





**Trade Assurance**




**Hunan Pinsheng Energy Technology Co., LTD.**

15616151876

[info@pinshengenergy.com](mailto:info@pinshengenergy.com)

[rechargeable-liionbattery.com](http://rechargeable-liionbattery.com)

NO. 259, Lixiang East Road, Xiangfeng Technology Industry Park, Changsha City, Hunan, China.