



400AH 12 Volt Rechargeable Lithium Battery High Voltage Li Ion Battery

Our Product Introduction

for more products please visit us on rechargeable-liionbattery.com

Basic Information

- Place of Origin: China
- Brand Name: Pinsheng Energy
- Certification: CE , MSDS , UN38.8 , ISO9001
- Model Number: PE24200-2
- Minimum Order Quantity: 1
- Price: USD988-1298/pc
- Packaging Details: carton box, UN box, wooden box
- Delivery Time: 10-20days
- Payment Terms: L/C , D/A , D/P , T/T , Western Union , MoneyGram
- Supply Ability: 10000pcs/month



Product Specification

- Product Name: 24V 25.6V LiFePO4 Solar Battery Pack
- Material: ABS Plastic
- Size: 520(L) * 230 (W) * 210(T) Mm
- Weight: 42Kgs
- Voltage: 24V
- Capacity: 200Amper Per Hour
- Charging Cut Off Voltage: 20V
- Discharging: 28.8V
- Highlight: 5000 Times Rechargeable Li Ion Battery, Rechargeable Lithium Battery 400AH 12 Volt



More Images



Company Display



PINSHENG
ENERGY

Hunan Pinsheng Energy Technology Co.,LTD



CERTIFICATE



LITHIUM BATTERY SUPER HIGH QUALITY AND RELIABLE



CUSTOMIZE
LOGO,CAPACITY,VOLTAGE&SIZE



PINSHENG
ENERGY

PROFESSIONAL OEM/ODM MANUFACTURER

LiFePO4 Lithium Battery 24V Solar Battery ESS Lithium ion Battery Pack for Energy Storage

Model: PE24200-2

Parameters:

1. Product Name: 25.6V 200Ah Lithium Battery
2. Dimension: 519(L) * 239 (W) * 219(T) mm
3. Weight: 43.8Kgs
4. Material: ABS Plastic or Steel
5. Color: Customized
6. Working Voltage: 25.6Volts
7. Capacity: 200 Ah Amper per hour
8. Charging Cut Off Voltage: 20V
9. Discharging Limit Voltage: 28.8V
10. Battery Cell: LiFePO4 LFP Lithium Battery Cell

Application

Solar System, Wind Generation and Energy Storage System

Item	Detail
Product Name	25.6V 200Ah Solar Lithium Battery
Series - Parallel Mode	8S1P
Cycle Life	5000 Times
Dimension	519.9(L) * 239.9 (W) * 219.9(H) mm
Weight	43.8Kgs
Battery Box Material	Steel
Color	Black
Working Voltage	25.6V
Capacity	200Ah(
Charging Cut Off Voltage	20
Discharging Limit Voltage	28.8
Battery Cell	LFP
Working Temperature	-20~ 60
Charging Temperature	0~ 55
Working Humidity	85 %
Internal Resistance	2 mΩ
Self Discharging Rate	3%
OEM / ODM	Accepted

Item	Detail
Charging / Discharging Interface	Customized





Producing Line




Producing Line



Home Solar



Packing details



Hunan Pinsheng Energy Technology Co., LTD.



15616151876



info@pinshengenergy.com



rechargeable-liionbattery.com

NO. 259, Lixiang East Road, Xiangfeng Technology Industry Park, Changsha City, Hunan, China.