



High Density Electric Vehicle Lithium Ion Battery, Lightweight Auto Battery

Basic Information

Place of Origin: China

• Brand Name: Pinsheng Energy

• Certification: CE, MSDS, UN38.8 , ISO9001

Model Number: PE3610Minimum Order Quantity: 10

Price: USD98-145/pc

Packaging Details: carton box, UN box, wooden box

• Delivery Time: 10-20days

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

Supply Ability: 10000pcs/month



Product Specification

Product Name: 36V 10Ah Ebike Battery Pack
 Material: Aluminum Alloy + ABS Plastic

• Size: 385*75*110 Mm

Weight: 3.5 Kgs
Voltage: 36 Volts
Capacity: 10 Ah (AMP)
Charging Cut Off Voltage: 30 Volts
Discharging: 42 Volts
Working Temperature: -20 - 60

Appllication: Electric Bike / Bicycle /EV / E - Scooter
 Highlight: 385x75x110 mm Auto Lithium Ion Battery,

High Density 36V 10Ah Ebike Battery Pack,

Vehicle Lithium Ion Battery OEM



More Images













Company Display



Hunan Pinsheng Energy Technology Co.,LTD







CERTIFICATE


















A Grade Quality 36V 10Ah Ebike Battery 48V 20Ah Electric Scooter Lithium ion Battery Pack

Model: PE3610-2

Parameters:

- 1. Product Name: 36V 10Ah Electric Bike Battery Pack
- 2. Dimension: 385(L) * 75(W) * 110(T) mm
- 3. Net Weight: 3.5Kgs
- 4. Material: Aluminum Alloy + ABS Plastic
- 5. Color: Silver / Black
- 6. Working Voltage: 36V
- 7. Capacity: 10 Ah
 8. Charging Cut Off Voltage: 30V 9. Discharging Limit Voltage: 42V
- 10. Battery Cell: NCM
- 11. Working Temperature: -20°C ~ 60°C 12. Charging Temperature: 0°C ~ 55°C

Application

Widely use for Ebike, E-scooter, EV power supply and so on.

Advantage

- 1. Green
- 2. Safe
- 3. High Performance
- 4. Longer cycle life

Item	Detail
Product Name	36V Ebike Battery (Lithium Battery Pack)
Series - Parallel Mode	10S4P
Cycle Life	3500 Times 100% Depth of Discharging
Dimension	385.5 (L) * 75.5 (W) * 110.5 (T) mm
Weight	3.5Kgs
Battery Box Material	Aluminium
Color	Silver and Black
Working Voltage	36 Volts
Capacity	10 Amp
Charging Cut Off Voltage	30 Volts
Discharging Limit Voltage	42 Volts

Item	Detail
Battery Cell	18650
Working Temperature	-20 ~ 60°C
Charging Temperature	0 ~ 55
Working Humidity	80 %
Internal Resistance	1mΩ
Self Discharging Rate	3% every 30 days
OEM / ODM	All can do
Charging / Discharging Interface	Customized



Plug and Interface

AC INPUT PLUGS





















DC OUTPUT PLUGS


























Hunan Pinsheng Energy Technology Co., LTD.



15616151876



info@pinshengenergy.com



rechargeable-liionbattery.com

NO. 259, Lixiang East Road, Xiangfeng Technology Industry Park, Changsha City, Hunan, China.