



Pinsheng Customized 48V 100Ah Lithium Ion Battery Stackable Cabinets

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number: PE48100
 Minimum Order 1 unit
- Minimum Order Quantity:
- Price: Negotiatial
- Packaging Details: carton box, UN box, wooden box

China

Pinsheng Energy

CE, MSDS, UN38.3, IES

- Delivery Time: 20-30days
- Payment Terms: L/C , D/A , D/P , T/T , Western Union , MoneyGram
- Supply Ability: 10000pcs/month



Product Specification

| • | Life Cycle Times: | 6000 Times |
|---|-------------------|------------|
| | | |

- Nomincal Voltage: 51.2V DC
- Operating Temperature: -15°C To 55°C
- Discharge Cut Voltage: 40V
- Application: Home Energy Storage
- Battery Power: 5.12KWh
- BMS: Smart BMS
- Warranty: 5 Years
- Highlight: 48V 100Ah Lithium Ion Battery, Lithium Ion Battery Stackable Cabinets,
 - IES Energy Storage Lithium Battery



Product Description:

Energy Storage Lithium Battery is a 48v 100Ah Rack Battery designed for Home Energy Storage, Telecom Base Station, Smart BMS, and other applications. It features a Nominal Voltage of 51.2V DC and a Charge Limit Voltage of 58.4V, and comes with a 5-year warranty. This powerful energy storage lithium battery is designed to meet the power needs of any application.

Features:

Product Name: 48v 100Ah Rack Lithium Battery Nomincal Voltage: 51.2V DC Discharge Cut Voltage: 40V Warranty: 5 Years Battery Power: 5.12KWh SOC Light and COM: Standard And Optional Cycle Life: 6000 Times Application: Telecom Base Station

Technical Parameters:

| Property | Value |
|----------------------|---------------------------------------|
| Product Name | 48V 100Ah Rack Lithium Battery |
| Life Cycle Times | 6000 Times |
| Charge Limit Voltage | 58.4V |
| SOC Light and COM | Standard And Optional |
| Application | Home Energy Storage |
| Warranty | 5 Years |
| Nomincal Voltage | 51.2V DC |
| Module Capacity | 100Ah |
| BMS | Smart BMS |
| Telecom Base Station | LifePO4 Battery Cell |
| LED Screen | 2.5 Inches Touch Screen Or Customized |

Applications:

Pinsheng Energy's Energy Storage Lithium Battery is an ideal 48v 100Ah Rack Battery for Telecom Base Station that is designed with all the latest battery technology. With CE, MSDS, UN38.3, and IES certifications, it is a reliable and safe choice for powering Telecom Base Station and Energy Storage System. It is designed with an operating temperature range of -15°C to 55°C, Smart BMS, and optional SOC Light and COM. It requires a minimum order quantity of one unit, and offers a competitive price that can be negotiated. Packaging and delivery is available in carton box, UN box, and wooden box, and is delivered in 20-30days. Payment terms include L/C, D/A, D/P, T/T, Western Union, and MoneyGram, and it is capable of supplying up to 10000pcs/month. The Energy Storage Lithium Battery is backed with a 5-year warranty.

Customization:

Energy Storage Lithium Battery Brand Name: Pinsheng Energy Place of Origin: China Certification: CE , MSDS , UN38.3,IES Minimum Order Quantity: 1 unit Price: Negotiatial Packaging Details: carton box, UN box, wooden box Delivery Time: 20-30days Payment Terms: L/C , D/A , D/P , T/T , Western Union , MoneyGram Supply Ability: 10000pcs/month Module Capacity: 100Ah Battery Power: 5.12KWh Discharge Cut Voltage: 40V SOC Light and COM: Standard And Optional Product Name: 48V 100Ah Rack Lithium Battery Cycle Life: 6000 Times

Support and Services:

Energy Storage Lithium Battery Technical Support and Service

We provide technical support and service for all Energy Storage Lithium Battery products. Our trained technicians are available 24/7 to assist you with any inquiries or issues you may have. We offer a variety of services, including: Diagnosing and troubleshooting hardware and software Providing system updates Testing and verifying performance Installing firmware updates Data recovery and backup Replacement parts and accessories Product training and tutorials For more information about our Energy Storage Lithium Battery technical support and service, please contact us.

