



PINSHENG Electric Car Lithium Battery 600v 500v 400v 300v 350v Lithium Ion Battery Pack 50kwh 100kwh Ev Lifepo4 Battery Pack

Basic Information

Place of Origin: Hunan, ChinaBrand Name: Pinsheng

Certification: CE , MSDS , UN38.8 , ISO9001

Model Number: PE-48100Minimum Order 1 unit

Quantity:

• Price: Negotiatial

• Packaging Details: carton box, UN box, wooden box

• Delivery Time: 20-30days

• Payment Terms: L/C , D/A , D/P , T/T , Western Union ,

MoneyGram

• Supply Ability: 30000pcs/month



Product Specification

OEM/ODM: Accepatable
Battery Type: NMC Or Lifepo4
Protection: Built-in Smart BMS

• Type: Vehicle Lithium Ion Battery

Voltage: Customized
Warranty: 3 Years
Max Discharge Current: 2C~ 4C

• Highlight: 50kwh Electric Car Lithium Battery,

100kwh Electric Car Lithium Battery , 300v Electric Car Lithium Battery

Product Description:





Vehicle Lithium Ion Battery is a scooter ebike battery and energy storage battery designed for active and versatile usage. It has a wide operating temperature range of -20~60 and a maximum discharge current of 2C~4C, with both NMC and Lifepo4 battery types available. It is equipped with a built-in Smart BMS for advanced protection and offers OEM/ODM services for customized production. Vehicle Lithium Ion Battery is the perfect choice for your scooter or ebike.

Features:

Product Name: Vehicle Lithium Ion Battery

Protection: Built-in Smart BMS

Warranty: 3 Years

Type: Vehicle Lithium Ion Battery Operating Temperature: -20~60 Max discharge current: 2C~ 4C

High Performance: Ideal for motorcycle battery Energy storage battery: High quality and safety

Technical Parameters:

| Parameters | Value |
|-----------------------|-----------------------------|
| Туре | Vehicle Lithium Ion Battery |
| Battery type | NMC Or Lifepo4 |
| Protection | Built-in Smart BMS |
| OEM/ODM | Acceptable |
| Warranty | 3 Years |
| Place of Origin | Hunan, China |
| Operating Temperature | -20~60 |

| Max discharge current | 2C~ 4C |
|-----------------------|-----------------------|
| Voltage | Customized production |
| Application | Motorcycle battery |
| Service | Three-year warranty |

Applications:

Pinsheng PE-48100 Vehicle Lithium Ion Battery is the ideal choice for hot sale electric car battery, providing excellent performance for a wide range of applications. It is designed with a maximum discharge current of 2C~ 4C and comes in a variety of voltage levels which can be customized to meet the exact needs of the customer. The battery pack has been certified by CE, MSDS, UN38.8 and ISO9001, and is available with a minimum order quantity of 1 unit. This rechargeable battery is offered at a negotiable price and can be packed in a carton box, UN box or a wooden box. Delivery time is within 20-30days and payment terms include L/C, D/A, D/P, T/T, Western Union and MoneyGram. Pinsheng PE-48100 Vehicle Lithium Ion Battery has a supply ability of 30000pcs/month and OEM/ODM is acceptable.

Customization:

We are proud to offer our Vehicle Lithium Ion Battery with the Brand Name Pinsheng and Model Number PE-48100. This electric car battery is our hot sale product with multiple certifications such as CE, MSDS, UN38.8, and ISO9001. It has a minimum order quantity of 1 unit and is negotiable in price. Packages are available in carton box, UN box, and wooden box, and delivery time is 20-30days. Payment terms include L/C, D/A, D/P, T/T, Western Union, and MoneyGram. With a supply ability of 30000pcs/month, this battery has an operating temperature of -20~60 and a warranty of 3 years. It is customizable in voltage and max discharge current is 2C~ 4C.

Support and Services:

Vehicle Lithium Ion Battery technical support and services include:

Help with installation and setup of the product

Guidance on the product's features and functionality

Troubleshooting assistance

Hardware and software updates

Customer service for product-related issues





PRODUCTION AND TRANSPORTATION





Hunan Pinsheng Energy Technology Co., LTD.



15616151876



info@pinshengenergy.com



rechargeable-liionbattery.com